SDS Reference <JRRM700 Series> Version No.2

Revision Date

Second Issued 01/Mar/2019

## 1. IDENTIFICATION OF SUBSTANCE / PREPARATION AND OF THE COMPANY

Product Name Certified by Technical Association of Refractories, Japan

Standard Reference Materials for XRF Analysis Alumina- Zirconia-Silica refractories (Class I)

JRRM700 Series(701,702,703,704,705,706,707,708,709,710) 10 piece/set

Company Identification The Technical Association of Refractories, Japan

Address New Ginza Bldg.,7-3-13,Ginza,Chuo-ku,Tokyo 104-0061, Japan

Phone number +81-3-3-3572-0705 Fax number +81-3-3-3572-0175

Distributer SEISHIN TRADING CO., LTD.

Address 1-4-4, Minatojima-Minamimachi, Chuo-ku, Kobe 650-0047, Japan

 Phone number
 +81-78-303-3810

 Fax number
 +81-78-303-3822

 Emergency phone number
 +81-3-3572-0705

 E-mail
 taigikyou@tarj.org

Recommended use of the 
This material is used as standard material for calibration curve,

chemical and restriction on use standardized sample, sample for analytical accuracy test etc in X-ray

fluorescence analysis. This series of standard substances was

manufactured for fluorescent X-ray analysis by the glass bead method. When using this product under other uses or under special conditions, please be evaluated and take the best safety measures under your own

responsibility.

# 2. HAZARDS IDENTIFICATION

## **GHS** classification

Physical Hazards	Flammable solids		Not classified
	Pyrophoric solids		Not classified
	Self-heating substances and mixtures		Not classified
	Substances and mixtures, which in contact with water, emit flammable gases		Not classified
	Oxidizing solids		Not classified
Health Hazards	Acute toxicity (oral)		Not classified
	Acute toxicity (dermal)		Not classified
	Acute toxicity (inhalation: dust, mist)		Not classified
	Skin corrosion/irritation		Not classified
	Serious eye damage/eye irritation		Not classified
	Skin/Respiratory sensitizer		Category 1
	Germ cell mutagenicity		Not classified
	Carcinogenicity		Category 1A
	Specific target organ systemic toxicity (single exposure)	Category 1(respiratory system) Category 3(respiratory tract irritation)	

SDS Reference <JRRM700 Series> Version No.2 Revision Date

Second Issued 01/Mar/2019

### 2. HAZARDS IDENTIFICATION

Specific target organ systemic Category 1(respiratory system, kidney, lung)

toxicity (repeated exposure)

Chronic hazards to the aquatic environment Category 2

#### **Pictogram or Symbol**







Signal word Danger

Hazard Statement H317: May cause an allergic skin reaction

H334: May cause allergy or asthma symptoms or breathing difficulties if

inhaled

H335: May cause respiratory irritation

H350: May cause cancer

H370: Causes damage to respiratory system

H372: Causes damage to respiratory system and kidney through prolonged

or repeated exposure

H411: Toxic to aquatic life with long lasting effects

<Pre>
<Pre>
P201: Obtain special instructions before use.

P202: Do not handle until all safety precautions have been read and

understood.

P260: Do not breathe dust/fume/gas/mist/vapours/spray.

P264: Wash hands thoroughly after handling.

P270: Do not eat, drink or smoke when using this product.

P271: Use only outdoors or in a well-ventilated area.

P272: Contaminated work clothing should not be allowed out of the

workplace.

P273: Avoid release to the environment.

P280: Wear protective gloves/protective clothing/eye protection/face

protection.

P284: [In case of inadequate ventilation] wear respiratory protection.

<Response> P302+P352: IF ON SKIN: Wash with plenty of water/...

P304+P340: IF INHALED: Remove person to fresh air and comfortable for

breathing.

P308+P313: IF exposed or concerned: Get medical advice/attention.

<sup>\*</sup> Unstated information is either 'classification not possible or 'not applicable'

SDS Reference < JRRM700 Series> Version No.2 **Revision Date** 

Second Issued 01/Mar/2019

### 2. HAZARDS IDENTIFICATION

P314: Get Medical advice/attention if you feel unwell.

P333+P313: If skin irritation or a rash occurs: Get medical advice/attention.

P342+P311: If experiencing respiratory symptoms: Call a POISON

CENTER/doctor/...

P362+P364: Take off contaminated clothing and wash it before reuse.

<Storage> P403+P233: Store in a well ventilated place. Keep container tightly closed.

P405: Store locked up.

<Disposal> P501: Dispose of contents/container to in accordance with local regulations

and statutory provisions.

### 3. COMPOSITION / INFORMATION ON INGREDIENTS

| Substance/Mixture    | Mixture    |                   |           |                        |
|----------------------|------------|-------------------|-----------|------------------------|
| Chemical identity    | CAS-No     | Concentration (%) | EC-No     | Hazard statement Codes |
| Cristobalite         | 14464-46-1 | 0.5 - 43          | 238-455-4 | H350, H370, H372       |
| Aluminium oxide      | 1344-28-1  | 10 - 83           | 215-691-6 | H335, H372             |
| Titan oxide          | 13463-67-7 | 0.0 – 5           | 236-675-5 | H320, H335, H372       |
| Chromium (III) oxide | 1308-38-9  | 0.0 - 3           | 215-160-9 | H317, H334, H400, H410 |
| Zirconium dioxide    | 1314-23-4  | 2 - 49            | 215-227-2 | -                      |

The type (chemical formula) of the crystal in the standard substance (10 species) was identified by X-ray diffraction method. Crystalline silica (quartz, cristobalite), corundum (Al<sub>2</sub>O<sub>3</sub>), badelite (ZrO<sub>2</sub>), rutile (TiO<sub>2</sub>) and escolite (Cr<sub>2</sub>O<sub>3</sub>) are detected as hazardous crystals. As other crystals, ZrSiO<sub>4</sub>, MgAl<sub>2</sub>O<sub>4</sub>, NaAlSiO<sub>4</sub>, Al<sub>6</sub>Si<sub>2</sub>O<sub>13</sub>, NaAl<sub>11</sub>O<sub>17</sub>, Na (Si <sub>3</sub> Al)O <sub>8</sub>, MgCr<sub>2</sub>O<sub>4</sub> and the like are detected.

## 4. FIRST AID MEASURES

If inhaled: If inhaled plenty of dust, immediately remove victim to fresh air. If the victim

shows breathing abnormality, immediately get medical advice/attention.

If on skin: Wash with soap and water.

If dust contact with eyes, immediately rinse with clean water or eyewash. If If in eyes:

abnormality persists, get medical advice/attention.

Rinse mouth with water. Immediately get medical advice/attention. If swallowed:

## **5. FIRE FIGHTING MEASURES**

Suitable extinguishing media: The product is not flammable. Use extinguishing media

appropriate to surrounding fire conditions.

Unsuitable extinguishing media: No information

Specific hazards arising from the

chemical:

Nothing particular

#### SAFETY DATA SHEET

SDS Reference < JRRM700 Series>

Version No.2 Revision Date

Second Issued 01/Mar/2019

**5. FIRE FIGHTING MEASURES** 

Special precautions for fire-fighters: Nothing particular

Firefighters equipment: Firefighters should wear proper protective equipment.

**6. ACCIDENTAL RELEASE MEASURES** 

Personal precautions, protective Avoid raising dust during a process and recover it.

equipment and emergency procedures: Wear proper protective equipment and avoid contacting dust

with eyes and skin and inhaling dust.

Page 4 of 7

Environmental precautions: Nothing particular

7. HANDLING & STORAGE

Advice on safe handling: Wear a dust respirator, safety glasses and so one, as appropriate. Avoid

collapse and dropping of the goods.

Storage conditions: Store indoors, way from water.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

**Exposure Limits:** 

ACGIH TWA 0.5 mg/m³ (chromium (III) compound, as Cr))

TWA 10 mg/m³ (aluminum oxide)

TWA 10 mg/m³ (titan oxide)
TWA 0.025 mg/m³ (quartz)

TWA 0.025 mg/m³ (cristbalite)

Appropriate engineering

To keep below exposure limit, make available local exhaust ventilation if

controls:

necessary.

Individual protection measures:

Respiratory protection: When above exposure limit, use a dust respirator, if ventilation is judged to be

insufficient.

Hand protection: Wear protective gloves.

Eye protection: Wear dust goggles, if necessary.

Skin and body protection: Wear long sleeve clothes to protect skin.

Hygiene measures: Wash hands after handling.

9. PHYSICAL & CHEMICAL PROPERTIES

Physical form, color etc: Powder / White or light brown

Odor: No odor

pH: No data, insoluble in water

Melting point: >1500°C

#### SAFETY DATA SHEET

Page 5 of 7

SDS Reference < JRRM700 Series>

Version No.2 Revision Date

Second Issued 01/Mar/2019

## 9. PHYSICAL & CHEMICAL PROPERTIES

Boiling point, Flash point, Auto-ignition point: Not flammable solids

Specific gravity: 2.0 – 5.0 g/cm<sup>3</sup> (bulk density)

Solubility: Insoluble in organic solvents and water

## 10. STABILITY & REACTIVITY

Stability: Stable under normal conditions.

Possibility of hazardous

reactions:

React with strong acids and hydrogen fluoride.

Conditions to avoid: Nothing particular

Material to avoid: Strong acids and hydrogen fluoride.

Hazardous decomposition

products:

**Nothing** 

### 11. TOXICOLOGICAL INFORMATION

GHS classification was performed by the data of a pure substance, because tested data as a mixture is not available.

As reference, data of each ingredient are shown below.

Serious eye damage / eye

irritation

Mild by rabbit test. (Category 2B) (titanium dioxide)

Respiratory sensitizer Chromium is classified into "Respiratory Sensitizing Substance" by the ad

hoc committee of the Japanese Society of Occupational Allergy, and "Respiratory Sensitizing Substance: Group 2"\* by the Japan Society for Occupational Health. These classifications, through not specifying

chromium (III) oxide, seem to include chromium compounds. (Category 1)

(Chromium (III) oxide)

Skin sensitizer Chromium is classified into "Skin Sensitizing Substance" by the ad hoc

committee of the Japanese Society of Occupational Allergy, and "Skin Sensitizing Substance: Group 1"\* by the Japan Society for Occupational Health. These classifications, though not specifying chromium (III) oxide, seem to include chromium compounds. (Category 1) (Chromium (III)

oxide)

Carcinogenicity May cause cancer. IARC68: 1, NTP RoC: K, Japan Society for

Occupational Health: 1. (Category 1A) (crystalline quartz)

Specific target organs/systemic

toxicity following single

exposure

Upper respiratory irritation (Category 3, respiratory tract irritation)

(aluminum oxide)

Short-term exposure affects the respiratory system in humans in case of high inhalation concentration. (Category 1, respiratory system) (crystalline

quartz)

Page 6 of 7

SDS Reference <JRRM700 Series> Version No.2 Revision Date

Second Issued 01/Mar/2019

## 11. TOXICOLOGICAL INFORMATION

Fume stimulates an respiratory tract (Category 3) (titanium dioxide)

Specific target organs/systemic toxicity following repeated exposure

By occupational exposure of aluminas, pulmonary fibrosis was occurred.

(Category 1, lung) (aluminum oxide)

Respiratory system and kidney are affected in humans. (Category 1, respiratory system and kidney) (crystalline quartz)

Pneumoconiosis changes became clear by x-ray test, although not accompanied by change of the lung function of very few of the laborers with occupational exposure for 20 years or more. (Category 1, lung) (titanium dioxide)

Rat; Interstitial pneumonia and hyperplasia of the alveolar septum(Category 1(respiratory system))(Chromium (III) oxide)

#### 12. ECOLOGICAL INFORMATION

Hazardous to the aquatic environment (acute)

Crustacea sp. (Daphnia magna) LC50(48hrs)=0.162mg/L (Category 1)(Chromium

(III) oxide)

Hazardous to the aquatic environment (chronic)

Relevant toxicity is not indicated in the water solubility, but being metal compound,

its behavior in water is uncertain.(Category 4) (titanium dioxide)

Relevant toxicity is not indicated in the water solubility, but being metal compound,

its behavior in water is uncertain.(Category 4) (titanium dioxide)

Being metal compound, its behavior in water and bio-accumulative potential are uncertain. Acute toxicity is classified into Category 1. (Category 1)(Chromium (III)

oxide)

# 13. DISPOSAL CONSIDERATIONS

Waste must be disposed of in accordance with federal, state and local environmental control regulations.

Waste must be sent to an approved incinerator or disposed in an approved waste facility.

## 14. TRANSPORT INFORMATION

**National regulations** 

Ground regulation information: Not regulated

Maritime regulation information: Non-hazardous material

Prevent exposure to water and collapse of cargo in freight transport.

United Nations number: -

UN Proper shipping name: -

Transport Hazard class: -

Packing group, if applicable:

#### SAFETY DATA SHEET

SDS Reference <JRRM700 Series> Version No.2 Revision Date

Revision Date Second Issued

01/Mar/2019

# 14. TRANSPORT INFORMATION

Marine pollutant (Y/N): Not applicable

### 15. REGULATORY INFORMATION

**International Inventories** 

**EINECS/ELINCS Listed** 

**TSCA Listed** 

Japanese regulations

ISHA: Chemical Substances requiring Labeling and Deliver of Documents, etc.

Act on Confirmation, etc. of Release Amounts of Specific Chemical Substances in the Environment and Promotion of Improvements to the Management Thereof: Classification I, Chromium and chromium(III) compounds(Cabinet Order Number 1-87)

Water Pollution Control Law: Designated Substances, Aluminium and its compounds(Article 3-3-44 of Cabinet order)

#### **16. OTHER INFORMATION**

This information is based on our present state of knowledge and is intended to describe our products from the point of view of the safety requirements. It should not be construed as guaranteeing specific properties.

End of SDS

Page 7 of 7