1. IDENTIFICATION OF SUBSTANCE / PREPARATION AND OF THE COMPANY

Dreduct Nome	Contified by Technical Association of Petractories Japan
Floquet Name	Ctended by Technical Association of Kenaciones, Japan
	Standard Reference Materials for XRF Analysis
	Silica refractories Series (Class II)
	JRRM220 Series(221,222,223,224,225,226,227,228,229,230,231,232) 12piece/set
Manufacturer	The Technical Association of Refractories, Japan
Address	New Ginza Bldg.,7-3-13,Ginza,Chuo-ku,Tokyo 104-0061, Japan
Phone number	+81-3-3572-0705
Fax number	+81-3-3572-0175
Distributer	SEISHIN TRADING CO., LTD.
Address	1-4-4, Minatojima-Minamimachi, Chuo-ku, Kobe 650-0047, Japan
Phone number	+81-78-303-3810
Fax number	+81-78-303-3822
Emergency phone number	+81-3-3572-0705
E-mail	taigikyou@tarj.org
Recommended use of the	This material is used as standard material for calibration curve.
chemical and restriction on use	standardized sample, sample for analytical accuracy test etc in X-ray
	fluorosconce analysis. This series of standard substances was
	nuorescence analysis. This series of standard substances was
	manufactured for fluorescent X-ray analysis by the glass bead method.
	When using this product under other uses or under special conditions,
	please be evaluated and take the best safety measures under your own
	responsibility.

This sheet mainly describes crystalline silica. Each product contains 1 mass% or more of aluminum oxide, iron oxide, calcium oxide, titanium oxide.

2. HAZARDS IDENTIFICATION

GHS classification		
Physical Hazards	Flammable solids	Not classified
	Pyrophoric solids	Not classified
	Self-heating substances and mixtures	Not classified
	Substances and mixtures, which in contact with water, emit flammable gases	Not classified
	Oxidizing solids	Not classified
Health Hazards	Acute toxicity (oral)	Not classified
	Acute toxicity (dermal)	Not classified
	Acute toxicity (inhalation: dust, mist)	Not classified
	Skin corrosion/irritation	Category 2
	Serious eye damage/eye irritation	Category 1
	Skin/Respiratory sensitizer	Not classified

<Response>

2. HAZARDS IDENTIFICATIO	N		
	Germ cell mutagenicity		Not classified
	Carcinogenicity		Category 1A
	Specific target organ systemic Category 1(respiratory syster toxicity (single exposure)		atory system)
	Specific target organ systemic toxicity (repeated exposure)	Category 1(respira lung)	atory system, kidney and
Environmental Hazards	Acute hazards to the aquatic env	vironment	Category 3
	Chronic hazards to the aquatic e	nvironment	Category 3
* Unstated information is eit	her 'classification not possible or	'not applicable'	
Pictogram or Symbol			
Signal word	Danger		
Hazard Statement	H315: Causes skin irritation		
	H318: Causes serious eye da	amage	
	H350: May cause cancer		
	H370: Causes damage to res	spiratory system	
	H372: Causes damage to res prolonged or repeated expos	spiratory system, kic sure	dney and lung through
	H412: Harmful to aquatic life	with long lasting eff	fects
<prevention></prevention>	P201: Obtain special instruct	tions before use.	
	P202: Do not handle until all	safety precautions I	have been read and

P202: Do not handle until all safety precautions have been read and understood.

P260: Do not breathe dust/fume/gas/mist/vapours/spray.

P264: Wash hands thoroughly after handling.

P270: Do not eat, drink or smoke when using this product.

P273: Avoid release to the environment.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P304+P340: IF INHALED: Remove person to fresh air and comfortable for breathing.

P305+P351+P338: IF IN EYES: Rinse continuously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P308+P313: IF exposed or concerned: Get medical advice/attention.

P314: Get Medical advice/attention if you feel unwell.

Page	3	of	7
	-		

2. HAZARDS IDENTIFICATION	
	P337+P313: IF eye irritation persists: Get medical advice/attention.
	P362+P364: Take off contaminated clothing and wash it before reuse.
<storage></storage>	P405: Store locked up.
<disposal></disposal>	P501: Dispose of contents/container to in accordance with local regulations
	and statutory provisions.

3. COMPOSITION / INFORMATION ON INGREDIENTS

Substance/Mixture	Mixture			
Chemical identity	CAS-No	Concentration (%)	EC-No	Hazard statement Codes
Cristobalite	14464-46-1	83 - 99.8	238-455-4	H350, H370, H372
Aluminium oxide	1344-28-1	0.1 - 10	215-691-6	H335, H372
Diiron trioxide	1309-37-1	0.1 - 4	215-168-2	H315, H318, H335, H372
Titan oxide	13463-67-7	0.0 – 1.3	236-675-5	H320, H335, H372
Calcium oxide	1305-78-8	0.0 - 4.2	215-138-9	H315, H318, H370, H372
Chromium (III) oxide	1308-38-9	0.0 - 0.5	215-160-9	H334, H317, H372

The type (chemical formula) of the crystal in the standard substance (12 species) was identified by X-ray diffraction method. Silicon oxide (IV) is mainly composed of tridymite and consists of quartz, cristobalite, and amorphous silica. Aluminum oxide exists as crystals of mullite (chemical formula $AI_6Si_2O_{13}$, CAS No. 1302-93-8) and anorthite(chemical formula (Ca,Na)(AI,Si)_2Si_2O_8). Other components exist as crystals of Rutile [chemical formula TiO_2] and hematite [chemical formula Fe_2O_3]. It has not been detected CaO and Ca(OH)₂, ZrO₂, Cr₂O₃ which are hazardous component.

4. FIRST AID MEASURES	
If inhaled:	If inhaled plenty of dust, immediately remove victim to fresh air. If the victim shows breathing abnormality, immediately get medical advice/attention.
lf on skin:	Wash with soap and water.
If in eyes:	If dust contact with eyes, immediately rinse with clean water or eyewash. If abnormality persists, get medical advice/attention.
If swallowed:	Rinse mouth with water. Immediately get medical advice/attention.

5. FIRE FIGHTING MEASURES	
Suitable extinguishing media:	The product is not flammable. Use extinguishing media appropriate to surrounding fire conditions.
Unsuitable extinguishing media:	No information
Specific hazards arising from the chemical:	Nothing particular
Special precautions for fire-fighters:	Nothing particular
Firefighters equipment:	Firefighters should wear proper protective equipment.

SDS Reference <JRRM220 Series> Version No.2 Revision Date Second Issued 01/Mar/2019

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures:	Avoid raising dust during a process and recover it. Wear proper protective equipment and avoid contacting dust with eyes and skin and inhaling dust.
Environmental precautions:	Nothing particular
7. HANDLING & STORAGE	

Advice on safe handling:	Wear a dust respirator, safety glasses and so one, as appropriate. Avoid
	collapse and dropping of the goods.
Storage conditions:	Store indoors, way from water.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Exposure Limits:		
ACGIH	TWA	10 mg/m ³ (aluminum oxide)
	TWA	5 mg/m³(diiron trioxide)
	TWA	10 mg/m ³ (titan dioxide)
	TWA	2 mg/m ³ (calcium oxide)
	TWA	0.5 mg/m ³ (Chromium (III) oxide)
	TWA	0.025 mg/m³ (quartz, respirable dust)
	TWA	0.025 mg/m ³ (cristbalite, respirable dust)
Appropriate engineering	To keep b	pelow exposure limit, make available local exhaust ventilation if
controls:	necessar	у.
Individual protection measures:		
Respiratory protection:	When abo insufficie	ove exposure limit, use a dust respirator, if ventilation is judged to be nt.
Hand protection:	Wear pro	tective gloves.
Eye protection:	Wear dus	st goggles, if necessary.
Skin and body protection:	Wear long sleeve clothes to protect skin.	
Hygiene measures:	Wash har	nds after handling.

9. PHYSICAL & CHEMICAL PROPERTIES

Physical form, color etc:	Powder / White or light brown
Odor:	No odor
pH:	No data, insoluble in water
Melting point:	No data

Boiling point, Flash point, Auto-ignition point:		Not flammable solids
Specific gravity:	No data	
Solubility:	Insoluble in organic solvents and water	

10. STABILITY & REACTIVITY

Stability:	Stable under normal conditions.
Possibility of hazardous reactions:	React with strong acids and hydrogen fluoride.
Conditions to avoid:	Nothing particular
Material to avoid:	Strong acids and hydrogen fluoride.
Hazardous decomposition products:	Nothing

11. TOXICOLOGICAL INFORMATION

GHS classification was performed by the data of a pure substance, because tested data as a mixture is not available. As reference, data of each ingredient are shown below.

Skin corrosion/Irritation:	Corrosivity on skin , very irritating to damp skin, and UN classification class 8-III(Category 1C).(Calcium oxide)
	Redness and moderate irritation on humans. (Category 2) (diiron trioxide)
Serious eye damage / eye irritation	Corrosive to eye, and corrosion of the skin(Category 1C).(Calcium oxide)
	Corrosive in humans. (Category 1) (diiron trioxide)
	Rabbit; mild irritation(Category 2B)(Titan dioxide)
Respiratory sensitization	Category 1(Chromium (III) oxide)
Skin sensitization	Category 1(Chromium (III) oxide)
Carcinogenicity	May cause cancer. IARC68: 1, NTP RoC: K, Japan Society for Occupational Health: 1. (Category 1A) (crystalline quartz)
Specific target organs/systemic toxicity following single exposure	Upper respiratory irritation (Category 3, respiratory tract irritation) (aluminum oxide)
	Short-term exposure affects the respiratory system in humans in case of high inhalation concentration. (Category 1, respiratory system) (crystalline quartz)

11. TOXICOLOGICAL INFORMATION

There is a statement that the inflammation of a respiratory tract (ACGIH (2001)) and pneumonitis (HSDB (2005)) are caused from dust inhalation and it was set as category 1 (respiratory systems), and if it drinks by mistake, a pulse will be quick and will become weak, breathing is quick and becomes shallow, body temperature falls, it becomes difficult to breathe by cancer of glottis, and will be in a shock states. There is the description which also produces esophageal, the stomach perforation (HSDB (2005)), but it was Priority2, it classified into Category 2 (whole body toxicity, digestive organ).(Calcium oxide) The coughing and also closeness were seen in humans (Category 3) (diiron trioxide) Category 3(respiratory irritation)(Titan dioxide) Specific target organs/systemic By occupational exposure of aluminas, pulmonary fibrosis was occurred. toxicity following repeated (Category 1, lung) (aluminum oxide) Respiratory system and kidney are affected in humans. (Category 1, respiratory system and kidney) (crystalline quartz) It was classified into Category 1 (respiratory systems) according to the statement of ulcers and perforations of nasal septum (ACGIH (2001)), and (ICSC (1997)).(Calcium oxide) Although abnormalities are found on a chest x-rays test in humans, it is clinically satisfactory, and if it accumulates in lungs, it will become siderosis, but it is benign and does not progress to fibrosis. Metal fevers

> may be occurred by exposure.(Category 1, respiratory system) (diiron trioxide)

Category 1 (lung)(Titan dioxide)

Category 1 (respiratory system) (Chromium (III) oxide)

Aspiration hazard Category 1 because of "aspiration pneumonia to human beings."(HSDB, 2005)(Calcium oxide)

12. ECOLOGICAL INFORMATION

exposure

Hazardous to the aquatic environment (Acute)	It was classified into Category 1 from 48 hours LC50=0.162mg/L of the crustacea (Daphnia magna) (CERI Hazard Data, 2002). (Chromium (III) oxide)
Hazardous to the aquatic environment (Long-term)	Classified into Category 4, since it is a metallic compound, and behavior in water is unknown, though no acute toxicity is reported within the saturated aqueous solution.(Titan dioxide)
	Since acute toxicity was Category 1 and it was a metallic compound, and since an underwater action and bio-accumulation were unknown, it was classified into Category 1. (Chromium (III) oxide)

SDS Reference <JRRM220 Series> Version No.2 Revision Date Second Issued 01/Mar/2019

13. DISPOSAL CONSIDERATIONS

Waste must be disposed of in accordance with federal, state and local environmental control regulations.

Waste must be sent to an approved incinerator or disposed in an approved waste facility.

14. TRANSPORT INFORMATION

- -

.....

National regulations			
Ground regulation information:	Not regulated		
Maritime regulation information:	Non-hazardous material		
Prevent exposure to water and collapse of cargo in freight transport.			
United Nations number:	-		
UN Proper shipping name:	-		
Transport Hazard class:	-		
Packing group, if applicable:	-		
Marine pollutant (Y/N):	Not applicable		

15. REGULATORY INFORMATION

International Inventories EINECS/ELINCS Listed TSCA Listed Japanese regulations ISHA: Chemical Substances requiring Labeling and Deliver of Documents, etc. Water Pollution Control Law: Designated Substances, Aluminium and its compounds(Article 3-3-44 of Cabinet order)

16. OTHER INFORMATION

This information is based on our present state of knowledge and is intended to describe our products from the point of view of the safety requirements. It should not be construed as guaranteeing specific properties.

End of SDS