

# SAFETY DATA SHEET

SDS Reference <JRRM320 Series>  
Version No.1  
Revision Date 25/Nov/2021  
First Issued 25/Nov/2021

Page 1 of 7

## 1. IDENTIFICATION OF SUBSTANCE / PREPARATION AND OF THE COMPANY

<b>Product Name</b>	Certified by Technical Association of Refractories, Japan Standard Reference Materials for XRF Analysis High-Alumina refractories Series (Class II) JRRM320 Series(321,322,323,324,325,326,327,328,329,330,331,332) 12 piece/set
<b>Manufacturer</b>	The Technical Association of Refractories, Japan
<b>Address</b>	New Ginza Bldg.,7-3-13,Ginza,Chuo-ku,Tokyo 104-0061, Japan
<b>Phone number</b>	+81-3-3572-0705
<b>Fax number</b>	+81-3-3572-0175
<b>Distributor</b>	SEISHIN TRADING CO., LTD.
<b>Address</b>	1-4-4, Minatojima-Minamimachi, Chuo-ku, Kobe 650-0047, Japan
<b>Phone number</b>	+81-78-303-3810
<b>Fax number</b>	+81-78-303-3822
<b>Emergency phone number</b>	+81-3-3572-0705
<b>E-mail</b>	taigikyou@tarj.org
<b>Recommended use of the chemical and restriction on use</b>	This material is used as standard material for calibration curve, standardized sample, sample for analytical accuracy test etc in X-ray fluorescence analysis. This series of standard substances was manufactured for fluorescent X-ray analysis by the glass bead method. When using this product under other uses or under special conditions, please be evaluated and take the best safety measures under your own responsibility.

## 2. HAZARDS IDENTIFICATION

### GHS classification

<b>Physical Hazards</b>	Flammable solids	Not classified
	Pyrophoric solids	Not classified
	Self-heating substances and mixtures	Not classified
	Substances and mixtures, which in contact with water, emit flammable gases	Not classified
	Oxidizing solids	Not classified
<b>Health Hazards</b>	Acute toxicity (oral)	Not classified
	Acute toxicity (dermal)	Not classified
	Acute toxicity (inhalation: dust, mist)	Not classified
	Skin corrosion/irritation	Category 2
	Serious eye damage/eye irritation	Category 1
	Skin/Respiratory sensitizer	Not classified
	Germ cell mutagenicity	Not classified
	Carcinogenicity	Category 1A
Specific target organ systemic toxicity (single exposure)	Category 1(respiratory system) Category 3(respiratory tract irritation)	



# SAFETY DATA SHEET

SDS Reference <JRRM320 Series>  
Version No.1  
Revision Date 25/Nov/2021  
First Issued 25/Nov/2021

Page 3 of 7

## 2. HAZARDS IDENTIFICATION

<Disposal>

**P501: Dispose of contents/container to in accordance with local regulations and statutory provisions.**

## 3. COMPOSITION / INFORMATION ON INGREDIENTS

Substance/Mixture	Mixture			
Chemical identity	CAS-No	Concentration (%)	EC-No	Hazard statement Codes
Cristobalite	14464-46-1	0.0– 45	238-455-4	H350, H370, H372
Aluminium oxide	1344-28-1	38 – 100	215-691-6	H335, H372
Diiron trioxide	1309-37-1	0.0 – 4.6	215-168-2	H315, H318, H335, H372
Titan oxide	13463-67-7	0.0 – 5	236-675-5	H320, H335, H372
Calcium oxide	1305-78-8	0.0 – 2.1	215-138-9	H315, H318, H370, H372
Chromium (III) oxide	1308-38-9	0.0 – 1	215-160-9	H344, H317, H372

The type (chemical formula) of the crystal in the standard substance (12 species) was identified by X-ray diffraction method. Cristobalite is detected from JRRM 322, 323, 324, 328 and 329. Aluminum oxide exists as crystals of corundum (chemical formula  $Al_2O_3$ , CAS No. 1302-74-5), mullite (chemical formula  $Al_6Si_2O_{13}$ , CAS No. 1302-93-8) and the like. Other components exist as crystals of rutile (chemical formula  $TiO_2$ ) and hematite (chemical formula  $Fe_2O_3$ ). It has not been detected  $CaO$  and  $Ca(OH)_2$ ,  $ZrO_2$ ,  $Cr_2O_3$  which are hazardous component.

## 4. FIRST AID MEASURES

If inhaled:	If inhaled plenty of dust, immediately remove victim to fresh air. If the victim shows breathing abnormality, immediately get medical advice/attention.
If on skin:	Wash with soap and water.
If in eyes:	If dust contact with eyes, immediately rinse with clean water or eyewash. If abnormality persists, get medical advice/attention.
If swallowed:	Rinse mouth with water. Immediately get medical advice/attention.

## 5. FIRE FIGHTING MEASURES

Suitable extinguishing media:	The product is not flammable. Use extinguishing media appropriate to surrounding fire conditions.
Unsuitable extinguishing media:	No information
Specific hazards arising from the chemical:	Nothing particular
Special precautions for fire-fighters:	Nothing particular
Firefighters equipment:	Firefighters should wear proper protective equipment.

# SAFETY DATA SHEET

SDS Reference <JRRM320 Series>  
Version No.1  
Revision Date 25/Nov/2021  
First Issued 25/Nov/2021

Page 4 of 7

## 6. ACCIDENTAL RELEASE MEASURES

**Personal precautions, protective equipment and emergency procedures:** Avoid raising dust during a process and recover it.  
Wear proper protective equipment and avoid contacting dust with eyes and skin and inhaling dust.

**Environmental precautions:** Nothing particular

## 7. HANDLING & STORAGE

**Advice on safe handling:** Wear a dust respirator, safety glasses and so on, as appropriate. Avoid collapse and dropping of the goods.

**Storage conditions:** Store indoors, way from water.

## 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

### Exposure Limits:

ACGIH	TWA	10 mg/m <sup>3</sup> (aluminum oxide)
	TWA	5 mg/m <sup>3</sup> (diiron trioxide)
	TWA	10 mg/m <sup>3</sup> (titan oxide)
	TWA	2 mg/m <sup>3</sup> (calcium oxide)
	TWA	0.025 mg/m <sup>3</sup> (quartz, cristobalite)

**Appropriate engineering controls:** To keep below exposure limit, make available local exhaust ventilation if necessary.

### Individual protection measures:

**Respiratory protection:** When above exposure limit, use a dust respirator, if ventilation is judged to be insufficient.

**Hand protection:** Wear protective gloves.

**Eye protection:** Wear dust goggles, if necessary.

**Skin and body protection:** Wear long sleeve clothes to protect skin.

**Hygiene measures:** Wash hands after handling.

## 9. PHYSICAL & CHEMICAL PROPERTIES

**Physical form, color etc:** Powder / White or light brown

**Odor:** No odor

**pH:** No data, insoluble in water

**Melting point:** No data

**Boiling point, Flash point, Auto-ignition point:** Not flammable solids

**Specific gravity:** No data

**Solubility:** Insoluble in organic solvents and water

# SAFETY DATA SHEET

SDS Reference <JRRM320 Series>  
Version No.1  
Revision Date 25/Nov/2021  
First Issued 25/Nov/2021

Page 5 of 7

## 10. STABILITY & REACTIVITY

<b>Stability:</b>	Stable under normal conditions.
<b>Possibility of hazardous reactions:</b>	React with strong acids and hydrogen fluoride.
<b>Conditions to avoid:</b>	Nothing particular
<b>Material to avoid:</b>	Strong acids and hydrogen fluoride.
<b>Hazardous decomposition products:</b>	Nothing

## 11. TOXICOLOGICAL INFORMATION

GHS classification was performed by the data of a pure substance, because tested data as a mixture is not available.

As reference, data of each ingredient are shown below.

<b>Skin corrosion/Irritation:</b>	Corrosivity on skin , very irritating to damp skin, and UN classification class 8-III( Category 1C).(Calcium oxide)  Redness and moderate irritation on humans. (Category 2) (diiron trioxide)
<b>Serious eye damage / eye irritation</b>	Corrosive to eye, and corrosion of the skin( Category 1C).(Calcium oxide)  Corrosive in humans. (Category 1) (diiron trioxide) Mild by rabbit test. (Category 2B) (titanium dioxide)
<b>Carcinogenicity</b>	May cause cancer. IARC68: 1, NTP RoC: K, Japan Society for Occupational Health: 1. (Category 1A) (crystalline quartz)
<b>Specific target organs/systemic toxicity following single exposure</b>	Upper respiratory irritation (Category 3, respiratory tract irritation) (aluminum oxide)  Short-term exposure affects the respiratory system in humans in case of high inhalation concentration. (Category 1, respiratory system) (crystalline quartz)  There is a statement that the inflammation of a respiratory tract (ACGIH (2001)) and pneumonitis (HSDB (2005)) are caused from dust inhalation and it was set as category 1 (respiratory systems), and if it drinks by mistake, a pulse will be quick and will become weak, breathing is quick and becomes shallow, body temperature falls, it becomes difficult to breathe by cancer of glottis, and will be in a shock states. There is the description which also produces esophageal, the stomach perforation (HSDB (2005)), but it was Priority2, it classified into Category 2 (whole body toxicity, digestive organ).(Calcium oxide)  The coughing and also closeness were seen in humans (Category 3) (diiron trioxide)  Fume stimulates an respiratory tract (Category 3) (titanium dioxide)

# SAFETY DATA SHEET

SDS Reference <JRRM320 Series>  
Version No.1  
Revision Date 25/Nov/2021  
First Issued 25/Nov/2021

Page 6 of 7

## 11. TOXICOLOGICAL INFORMATION

**Specific target organs/systemic toxicity following repeated exposure** By occupational exposure of aluminas, pulmonary fibrosis was occurred. (Category 1, lung) (aluminum oxide)

Respiratory system and kidney are affected in humans. (Category 1, respiratory system and kidney) (crystalline quartz)

It was classified into Category 1 (respiratory systems) according to the statement of ulcers and perforations of nasal septum (ACGIH (2001)), and (ICSC (1997)).(Calcium oxide)

Although abnormalities are found on a chest x-rays test in humans, it is clinically satisfactory, and if it accumulates in lungs, it will become siderosis, but it is benign and does not progress to fibrosis. Metal fevers may be occurred by exposure.( Category 1, respiratory system) (diiron trioxide)

Pneumoconiosis changes became clear by x-ray test, although not accompanied by change of the lung function of very few of the laborers with occupational exposure for 20 years or more. (Category 1, lung) (titanium dioxide)

**Aspiration hazard** Category 1 because of "aspiration pneumonia to human beings."(HSDB, 2005)(Calcium oxide)

## 12. ECOLOGICAL INFORMATION

**Bio-accumulative potential (aqueous environmental hazard) (chronic):** Relevant toxicity is not indicated in the water solubility, but being metal compound, its behavior in water is uncertain.(Category 4) (titanium dioxide)

## 13. DISPOSAL CONSIDERATIONS

Waste must be disposed of in accordance with federal, state and local environmental control regulations.  
Waste must be sent to an approved incinerator or disposed in an approved waste facility.

## 14. TRANSPORT INFORMATION

National regulations

Ground regulation information: Not regulated

Maritime regulation information: Non-hazardous material

Prevent exposure to water and collapse of cargo in freight transport.

United Nations number: -

UN Proper shipping name: -

Transport Hazard class: -

Packing group, if applicable: -

# SAFETY DATA SHEET

SDS Reference <JRRM320 Series>  
Version No.1  
Revision Date 25/Nov/2021  
First Issued 25/Nov/2021

Page 7 of 7

## 14. TRANSPORT INFORMATION

**Marine pollutant (Y/N):** Not applicable

## 15. REGULATORY INFORMATION

### International Inventories

EINECS/ELINCS Listed

TSCA Listed

### Japanese regulations

ISHA: Chemical Substances requiring Labeling and Deliver of Documents, etc.

Water Pollution Control Law: Designated Substances, Aluminium and its compounds(Article 3-3-44 of Cabinet order)

## 16. OTHER INFORMATION

This information is based on our present state of knowledge and is intended to describe our products from the point of view of the safety requirements. It should not be construed as guaranteeing specific properties.

End of SDS